

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : FIBROLIT® - TW Trennmittel  
Product code : 280.27

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Use of the substance/mixture : Anti-agglomeratings.

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Supplier**

FIBRO GmbH Geschäftsbereich Normalien  
August-Läpple-Weg  
74855 Hassmersheim - Deutschland  
T +49 6266-73-0 - F +49 6266-73-237  
[info@fibro.de](mailto:info@fibro.de)

**Safety Data Sheet**

[info@ubsplus.de](mailto:info@ubsplus.de)

**1.4. Emergency telephone number**

Emergency number : +49 761 19240  
(VIZ Freiburg, 24 h, German & English)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Flam. Liq. 2 H225  
Asp. Tox. 1 H304  
Aquatic Chronic 2 H411

Full text of H-statements: see section 16

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour  
H304 - May be fatal if swallowed and enters airways  
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P260 - Do not breathe vapours  
P240 - Ground/bond container and receiving equipment  
P241 - Use explosion-proof electrical equipment  
P273 - Avoid release to the environment  
P280 - Wear eye protection, protective gloves, protective clothing

**2.3. Other hazards**

Other hazards not contributing to the classification : Vapours may form explosive mixture with air.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

# FIBROLIT® - TW Trennmittel

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Comments : Benzene : <0,1%

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Naphtha (petroleum), hydrotreated light, Low boiling point hydrogen treated naphtha, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F).]	(CAS No) 64742-49-0 (EC no) 265-151-9 (EC index no) 649-328-00-1 (REACH-no) 01-2119475133-43	>80	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Move the affected person away from the contaminated area. Fresh air, rest. Prevent cooling by covering the victim (no warming up). If unconscious place in recovery position and seek medical advice. Do not give an unconscious person anything to drink. Remove soiled clothing promptly.
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Immediately remove contaminated clothing or footwear. Rinse and then wash skin thoroughly with water and soap. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice.
- First-aid measures after ingestion : Rinse mouth with water, do not induce vomiting, call a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Giddiness. Headache. Gastrointestinal pain. Cough. Shortness of breath.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Allow breathing of fresh air. Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : water, carbon dioxide (CO<sub>2</sub>), powder and foam.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Explosion hazard : May form flammable/explosive vapour-air mixture. Cool down the containers exposed to heat with a water spray.
- Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide.

#### 5.3. Advice for firefighters

- Firefighting instructions : Do not allow run-off from fire fighting to enter drains or water courses. Do not contaminate ground and surface water.
- Protection during firefighting : Extra personal protection: complete protective clothing including self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate the danger area. Keep public away from danger area. Mark the danger area. Remove ignition sources. Danger of explosion.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear personal protective equipment.
- Emergency procedures : Ventilate spillage area.

# FIBROLIT® - TW Trennmittel

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### 6.1.2. For emergency responders

Protective equipment : Wear personal protective equipment.  
Emergency procedures : Ventilate spillage area. Stop leak if safe to do so.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

### 6.4. Reference to other sections

Fire fighting measures. SECTION 5. Personal protective equipment. SECTION 8. Disposal considerations. SECTION 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Read label before use. Ensure good ventilation of the work station. Avoid contact with eyes. Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking. Danger of explosion.  
Hygiene measures : Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with soap and water before leaving work. Apply emollient cream.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Take precautionary measures against static discharge.  
Storage conditions : Store in a dry, cool and well-ventilated place. Keep container tightly closed.  
Maximum storage period : ≈ 6 months  
Storage temperature : < 25 °C  
Heat and ignition sources : Keep away from sources of ignition - No smoking.  
Prohibitions on mixed storage : Keep away from food, drink and animal feeding stuffs.  
Special rules on packaging : Keep only in original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station. Explosion-proof apparatus have to be used.  
Materials for protective clothing : Wear proper protective equipment  
Hand protection : Chemically resistant protective gloves. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. . Penetration time of glove material : >480 min (EN 374). Material : Nitrile rubber (0,7 mm)  
Eye protection : Wear closed safety glasses. (EN 166)  
Respiratory protection : Not necessary with sufficient ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Breathing apparatus with filter. Filter type: A. Appropriate self-contained breathing apparatus may be required



Other information : Do not eat, drink or smoke during use. Avoid contact with skin and eyes.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : No data available  
Odour : Hydrocarbon-like  
Odour threshold : Not determined

# FIBROLIT® - TW Trennmittel

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

pH	: Not determined
Relative evaporation rate (butylacetate=1)	: Not determined
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≈ 100 - 140 °C
Flash point	: -5 °C
Auto-ignition temperature	: ≈ 250 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 50 hPa (20 °C)
Relative vapour density at 20 °C	: Not determined
Relative density	: Not determined
Density	: ≈ 0.73 - 0.78 g/cm <sup>3</sup> (DIN 51757)
Solubility	: Water: < 1 g/l practically insoluble
Log Pow	: No data available
Viscosity, kinematic	: Not determined
Viscosity, dynamic	: ≈ 1 - 5 mPa.s (DIN 53015)
Explosive properties	: Explosive vapour/air mixtures may be formed.
Oxidising properties	: Not known.
Explosive limits	: ≈ 0.7 - 7 vol %

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Vapour/air mixtures are explosive.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct sunlight.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

**Naphtha (petroleum), hydrotreated light, Low boiling point hydrogen treated naphtha, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F).] (64742-49-0)**

LD50 oral rat	> 5000 mg/kg bodyweight
---------------	-------------------------

LD50 dermal rabbit	> 3000 mg/kg bodyweight
--------------------	-------------------------

LC50 inhalation rat (mg/l)	> 54 mg/l/4h
----------------------------	--------------

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Repeated or prolonged contact may cause skin irritation

pH: Not determined

Serious eye damage/irritation : Not classified (No data available)

pH: Not determined

Respiratory or skin sensitisation : Not classified (No data available)

Germ cell mutagenicity : Not classified. (No data available)

Carcinogenicity : Not classified. (No data available)

Reproductive toxicity : Not classified (No data available)

# FIBROLIT® - TW Trennmittel

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Specific target organ toxicity (single exposure) : Not classified (No data available)  
Specific target organ toxicity (repeated exposure) : Not classified (No data available)  
Aspiration hazard : May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - water : No data available.

#### 12.2. Persistence and degradability

##### FIBROLIT® - TW Trennmittel

Persistence and degradability : Not readily biodegradable.

**Naphtha (petroleum), hydrotreated light, Low boiling point hydrogen treated naphtha, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F).] (64742-49-0)**

Persistence and degradability : Not readily biodegradable.

#### 12.3. Bioaccumulative potential

##### FIBROLIT® - TW Trennmittel

Bioaccumulative potential : Not determined.

#### 12.4. Mobility in soil

##### FIBROLIT® - TW Trennmittel

Ecology - soil : No data available.

#### 12.5. Results of PBT and vPvB assessment

##### FIBROLIT® - TW Trennmittel

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

##### Component

Naphtha (petroleum), hydrotreated light, Low boiling point hydrogen treated naphtha, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F).] (64742-49-0)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : This material and its container must be disposed of in a safe way, and as per local legislation.  
Sewage disposal recommendations : Do not allow to enter drains or water courses.  
Waste disposal recommendations : Do not dispose of with domestic waste.  
Additional information : Handle uncleaned empty containers as full ones.

### SECTION 14: Transport information











In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
1993	1993	1993	1993	1993
<b>14.2. UN proper shipping name</b>				
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
<b>Transport document description</b>				
UN 1993 FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE), 3, II, (D/E),	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II, MARINE POLLUTANT/ENVIRO			

# FIBROLIT® - TW Trennmittel


## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

ADR	IMDG	IATA	ADN	RID
ENVIRONMENTALLY HAZARDOUS	ENVIRONMENTALLY HAZARDOUS			
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
				
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601, 640D
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP8, TP28
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	: 
Tunnel restriction code (ADR)	: D/E
EAC code	: •3YE

#### - Transport by sea

Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP8, TP28
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B

#### - Air transport

PCA Excepted quantities (IATA)	: E2
--------------------------------	------

# FIBROLIT® - TW Trennmittel

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3H

### - Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 61, 64D
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
Carriage prohibited (ADN)	: No
Not subject to ADN	: No

### - Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 274, 601, 640D
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP8, TP28
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33
Carriage prohibited (RID)	: No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations : Ozone layer depleting substances: Not subject to Regulation (EC) No 1005/2009. Persistent organic pollutants (POPs): Not subject to Regulation (EC) No 850/2004. Export and import of dangerous chemicals: Not subject to Regulation (EC) No 649/2012. Control of major-accident hazards (COMAH, Seveso III): Subject to Directive 2012/18/EC.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

Not applicable

Mixture

## SECTION 16: Other information

# FIBROLIT® - TW Trennmittel

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Full text of H- and EUH-statements:		
Aquatic Chronic 2		Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1		Aspiration hazard, Category 1
Flam. Liq. 2		Flammable liquids, Category 2
H225		Highly flammable liquid and vapour
H304		May be fatal if swallowed and enters airways
H411		Toxic to aquatic life with long lasting effects
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2	H225	On basis of test data
Asp. Tox. 1	H304	Expert judgment
Aquatic Chronic 2	H411	Calculation method

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*